

OTC'S BETTER BALL JOINT PRESS

PATENTED SECURE-LOCKING ADAPTERS HOLD IN PLACE FOR EASIER R&I

GET A KIT, OR BUILD YOUR OWN WITH AN EXTRA-LARGE C-FRAME AND 25 ADAPTERS TO CHOOSE FROM



CA6636

- Extra-large connected C-frame
- Coated forcing screw for durability and longevity
- Connected forcing screw plug
- Flat-top forcing screw plug for use with existing adapters
- Buy only the adapters you need and use your current ball joint kit adapters



CA7149

- Includes CA6636
- 7 connected adapters covering 230+ vehicle models
- Select from 18 additional connected adapters to build your custom kit



CA6630

- Includes CA6636
- 25 connected adapters covering 600+ vehicle models
- Illustrated manual and application guide with vehicle diagrams and part numbers

Easier to handle: Patented connection and adapter design uses spring-loaded stainless steel ball bearings to securely attach all cups and adapters to the C-frame


Master kit for more coverage: 25 cups and adapters work on more than 600 vehicle models

Backwards compatible: Works with most OTC ball joint kits, cups and adapters

Faster to use: Locking cups and adapters set up faster on the vehicle and leave one hand free

Hassle-free: No O-rings or removable fasteners to lose, damage or replace

Multi-function: For R&I of ball joints, U-joints, wheel studs and more



Illustrated manual and application guide with vehicle diagrams and part numbers
Included with CA6630

MAKE ROOM IN YOUR TOOLBOX FOR CA6630

Specification	CA6630	The other guys*
Uses	Ball joints, U-joints, wheel studs, HD wheel studs	Ball joints, U-joints, limited wheel studs
Vehicle application coverage	600+ vehicle models with CA6630	506 vehicle models with starter kit + purchasing all optional adapters
Backwards compatible	Works with most OTC ball joint kits, cups and adapters	No – connected adapters only
Locking mechanism for ease of use	Spring-loaded stainless steel ball bearings to securely attach all cups and adapters to the C-frame	Split tension ring only
Forcing screw robustness	Impact-rated with striking cap for hammer blows	Impact-rated, no striking cap
Throat size for working range	2-3/4" – 9" largest available	2-1/2" – 7-13/16"
C-frame weight	10.4 lbs	10.8 lbs
Interchangeable adapters	Use cups and adapters from OTC 6529, 6539, 6559, 7249 and more	Not interchangeable with other ball joint kits
Application manual	Yes, fully illustrated and diagrammed application guide with YMME application and adapter part numbers for specific vehicles	Application chart, no diagrams or illustrations
Kit contents	25 adapters and cups, connected adapter screw plug, flat-top screw plug, C-frame, case, Application manual	N/A – requires purchasing press and all adapters separately

CA6630 from OTC:

Cover 19% more vehicles than competition

Work on the largest vehicles with the extra-large C-frame

Move from removal to installation without losing O-rings or tension rings

Use your OTC ball joint cups and adapters Press ball joints, U-joints, and wheel studs

* Information obtained from manufacturer website. Accurate at time of publishing based on available information.



MAKE ROOM IN YOUR TOOLBOX FOR CA7149

Specification	CA7149	The other guys*
Uses	Ball joints, U-joints, wheel studs, HD wheel studs	Ball joints, U-joints, limited wheel studs
Vehicle application coverage, starter kit	235+ vehicle models with CA7149	166 vehicle models with starter kit
Vehicle application coverage, with all optional adapters	600+ vehicle models with CA6630 kit (starter kit + all optional adapters)	506 vehicle models with starter kit + all optional adapters
Locking mechanism for ease of use	Spring-loaded stainless steel ball bearings to securely attach all cups and adapters to the C-frame	Split tension ring only
Forcing screw robustness	Impact-rated with striking cap for hammer blows	Impact-rated, no striking cap
Throat size for working range	2-3/4" – 9" largest available	2-1/2" – 7-13/16"
C-frame weight	10.4 lbs	10.8 lbs
Backwards compatible	Works with most OTC ball joint kits, cups and adapters	No – connected adapters only
Application manual	Yes, fully illustrated and diagrammed application guide with YMME application and adapter part numbers for specific vehicles	Application chart, no diagrams or illustrations
Starter kit contents	7 adapters and cups, connected adapter screw plug, flat-top screw plug, C-frame	9 cup adapters, 2 spacers, C-frame, spare tension rings

The CA7149 offers:

- 42% more vehicle coverage** than the competitors' starter kit
- 18 optional adapters** to expand your coverage and capabilities
- The same extra-large C-frame** forcing and screw plugs to hold connected adapters
- Backwards compatibility** with most of your OTC ball joint kits, cups and adapters



CA7149 & CA6630 KIT CONTENTS

	Part No.	CA7149	CA6630		Part No.	CA7149	CA6630
	CA6636*	Included	Included		CA555610	Optional	Included
	CA6636-3*	Included	Included		CA555380	Optional	Included
	CA6636-2*	Included	Included		CA555377A	Optional	Included
	CA6636-1*	Included	Included		CA554592	Optional	Included
	29501A*	Included	Included		CA554419	Optional	Included
	CA204508B	Included	Included		CA554417	Optional	Included
	CA313444	Included	Included		CA531738	Optional	Included
	CA222305	Included	Included		CA222306	Optional	Included
	CA39976	Included	Included		CA554414	Optional	Included
	CA29503	Included	Included		CA554413	Optional	Included
	CA29505	Included	Included		CA538590	Optional	Included
	CA555379	Included	Included		CA537499	Optional	Included
	CA580524	Optional	Included		CA38355A	Optional	Included
	CA580523	Optional	Included		CA554415	Optional	Included
	CA555613A	Optional	Included		CA313968A	Optional	Included

*CA6636-1, CA6636-2, CA6636-3, and 29501A are a part of CA6636, included in both CA7149 and CA6630 kits.

CA7149 and CA6630 are backwards compatible with the below kits from OTC and more. Use your existing adapters and kits on more vehicles.

